



DEFINE OVERSEAS PVT. LTD.

Rajkot. 360 004
Gujarat, INDIA
Tele: +91 97277 61148
E-Mail: info@definehardware.in

www.definehardware.in

 / definehardware



Follow Us :   



GLASS RAILING SYSTEM



OUR MISSION:

Our mission is to provide quality product along with the best customer service with product guarantee. We are committed to provide satisfaction to each and every customer we serve.

OUR WAY OF WORK

Imagination paves way to innovation - followed with wisdom, we focus on thorough research and development on products. While designing the products, we value the opinion of reputed architects and interior designers, to ensure better quality, convenience with comfort and grace.

SUPERIOR QUALITY, WITH GREATER CONSISTENCY:

Surpassing expectation has its own pleasure and rewards. We, at Define always believed in the virtues of this simple dictum. Whether it is about designing our products or to create bonding with customers, we believe in surpassing expectations. Established in 2009, Based in Rajkot and one of the most rapidly growing industrial areas of Western India. Within a short span of time, with our dedicated efforts and streamlined expertise, we have earned a name as the leading manufacturer of glass hardware architectural products. We supply domestic as well as international products. Consistency and superior quality is what defines us in the market.

METHODOLOGY:

We are fully aware that the hardware architectural product market is full of competition and only way to stand exceptional is to ensure super quality at the most competitive prices. We give immense importance to the selection of raw material and ensure highest level of quality control. With skillful workforce on our side, we have setup a state-of-the-art manufacturing facility, to augment the expertise and convert the designs into excellent product. A go-getter sales force with sound technical expertise helps us to create strong bond with the customers, giving an edge to the brand and company.

Statement to build long term relationships with our customers and Clients and provide exceptional customer services by pursuing business through innovation and advanced technology.

To Provide quality services that exceeds the expectations of our esteemed customers and also to build long term relationships with our customers and clients and provide exceptional customer services by pursuing business through innovation and advanced technology. To be leader in the bathroom fitting industry by providing enhanced services, relationship and profitability.

INDIA 1ST
MANUFACTURER
GLASS RAILING SYSTEM

Index

PAGE
05



**Bracket With
Continuos Cover System**

PAGE
39




**Side Mount
System**

**Continuos
System**



PAGE
13

**Bracket
System**



PAGE
43

PAGE
33



**Concealed
System**

PAGE
55



**Tops Handrail
System**

**Bracket With
Continuous Cover System**



Quality

Isn't a Demonstration
It is a Propensity.


Finishes

Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Bracket Size: 70mm & 140mm
- 4) Cover Length: 16 Foot & 12 Foot Or Customize

DF-BKT-01
STEP



Sloted Endcap



Full Endcap

Find The *Best*
Solutions With Us.


Finishes

Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Bracket Size: 70mm & 140mm
- 4) Cover Length: 16 Foot & 12 Foot Or Customize

DF-BKT-02
HEAVY 142MM



Sloted Endcap



Full Endcap


Profits are the outcome,
the *Result* of
incredible administration.

Finishes

Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3.5 Feet
- 3) Bracket Size: 70mm & 140mm
- 4) Cover Length: 16 Foot & 12 Foot Or Customize




Measure what is
quantifiable and *Make*
quantifiable what isn't.

Finishes

Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 2.5 Feet
- 3) Bracket Size: 70mm & 140mm
- 4) Cover Length: 16 Foot & 12 Foot Or Customize



Extraordinary service,
Extraordinary you.

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Bracket Size: 70mm & 140mm
- 4) Cover Length: 16 Foot & 12 Foot Or Customize



DF-BKT-05

STEP



Sloted Endcap



Full Endcap

Our buyers are our
utmost *Responsibility*

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Bracket Size: 70mm & 140mm
- 4) Cover Length: 16 Foot & 12 Foot Or Customize



DF-BKT-06

HEAVY 142MM



Sloted Endcap



Full Endcap

Continuos System



Assistance is an unseen sign of *Oversight*

Finishes


Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize



DF-CP-01
FERRY



Sloted Endcap



Full Endcap

We have techniques for assisting *Perfully*.

Finishes


Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize



DF-CP-02
NEW FERRY



Full Endcap


Best assistance, perfect time,
Perfect People.

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize



DF-CP-03

60MM FLAT



Sloted Endcap



Full Endcap


Everyone promises good
services but *No one really serves*

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize



DF-CP-04

60MM CURVED



Sloted Endcap



Full Endcap


Everyone works for quantity,
we work for *Quality*

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize



DF-CP-05

80X37MM FLAT



Full Endcap

There are no substitutes
for hard *work*

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize



DF-CP-06

80X45MM CURVED



Full Endcap

Small experiments lead to big *Innovations*

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3.5 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize



DF-CP-07

100X37MM



Full Endcap

We listen to what customers *Want*

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3.5 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize



DF-CP-08

120X37MM



Full Endcap

Sourice is the best gift of attention

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize



DF-CP-09

100X37MM



Full Endcap

Service is Never Ending
Activity

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize



DF-CP-10

120X37MM



Full Endcap


Customers above *Anything*

Finishes


Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize



DF-CP-11
TURKEY



Sloted Endcap



Full Endcap

Your happiness is what *Matters*

Finishes


Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize



DF-CP-12
50MM TRIANGLE



Sloted Endcap



Full Endcap

Working for customer *satisfaction*



Finishes

Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize

DF-CP-13
TURKEY



Full Endcap

Dealing with customers *Personally*



Finishes

Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize

DF-CP-14
50MM TRIANGLE



Full Endcap


You are our *Priority*

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 to 3.5 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize



DF-CP-15

100X55MM



Full Endcap

Quality is a trait that we *appreciate.*

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 to 4 Feet
- 3) Cover Length: 12 Foot Or Customize



DF-CP-16

120X60MM



Full Endcap


It is quality rather than *Quantity* that matters. It's not Wrong for products to last long.

Finishes

Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm to 17.5 mm Glass
- 2) Support Glass Height Up to 4 Feet
- 3) Cover Length: 16 Foot & 12 Foot Or Customize




It's not *Wrong* for products to last long.

Finishes

Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm to 25 mm Glass
- 2) Support Glass Height Up to 4 Feet
- 3) Cover Length: 12 Foot Or Customize



Concealed System




It is quality rather than *Quantity* that matters.

Finishes

Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 2.5 Feet
- 3) Cover Length: 16 Foot & 12 Foot




It is *Quality* as opposed to the amount of issues.

Finishes

Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot




We *Deliver* high performance and high caliber as well.

Finishes

Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot



Side Mount System




It is easier to do a job right than to *Explain* why you didn't.

Finishes

Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 16 Foot & 12 Foot



Bracket System



So, have the best *Quality* to be fruitful.

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 2.5 Feet
- 3) Cover Length: 70 mm



DF-BS-01

L BRACKET



Thus, quality is our *Identity*.

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 70 mm



DF-BS-02

T BRACKET



Our *Customers* are the best inspectors indeed.

Finishes


Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 2.5 Feet
- 3) Cover Length: 70 mm



DF-BS-03
CURVED T BRACKET



The cost of *Quality* is certainly very difficult to measure.

Finishes


Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 70 mm



DF-BS-04
TURKY BRACKET



When you are the *Best*
you need the best too.

Finishes


Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 2.5 Feet
- 3) Cover Length: 70 mm



DF-BS-05
FERRY BRACKET



When nothing else
comes before *Quality*.

Finishes


Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 70 mm



DF-BS-06
STEP BRACKET



We *Deliver* high performance and high caliber as well.

Finishes


Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 70 mm



DF-BS-07
125MM BRACKET



So, have the best *Quality* to be fruitful.

Finishes


Wooden | Anodized | Powder Coating

Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 70 mm



DF-BS-06
80MM BRACKET



*Chaa*se the best and leave the rest.

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 55 mm



DF-BS-09

V BRACKET



Because we always get appreciated for our *Quality*.

Finishes

Wooden | Anodized | Powder Coating


Specification

- 1) System For 12 mm Glass
- 2) Support Glass Height Up to 3 Feet
- 3) Cover Length: 70 mm



DF-BS-10


V BRACKET 6 INCH



Top Handrail System



When you deliver the best *Quality*,
your business becomes top-notch.



DF-T01 - 50MM ROUND



ENDCAP



FIX BEND





WALL CONCEAL



MODULAR BEND

Because we always get
appreciated for our *Quality*.



DF-T02 - 50MM ROUND



ENDCAP





FIX BEND



WALL CONCEAL

Because quality is what we get paid for.



DF-T03 - 50X50 SQUARE



ENDCAP



FIX BEND




WALL CONCEAL



MODULAR BEND


Put your *Determination* to provide the best in the first place.




DF-T04 - 40X40 SQUAER



ENDCAP



FIX BEND





WALL CONCEAL




MODULAR BEND


Pure *Quality* and pure satisfaction above all.



DF - T05 - 25X25 SQUARE



ENDCAP




FIX BEND



WALL CONCEAL


Moreover, show the *Leadership* skills within you.



DF - T06 - 34X27



ENDCAP




FIX BEND



WALL CONCEAL


Quality starts within
then works out.



DF - T07 - BIG OVAL



ENDCAP





FIX BEND




WALL CONCEAL


we know how
Precious your life is



DF - T08 - SMALL OVAL




ENDCAP



FIX BEND




WALL CONCEAL



MODULAR BEND

Quality isn't a demonstration.
It is a propensity



DF - T09 - 60X40 RECTANGLE




ENDCAP



FIX BEND





WALL CONCEAL



MODULAR BEND


Safety Quality *Perfection.*



DF - T10 - 65X40 TRIANGLE




ENDCAP



FIX BEND





WALL CONCEAL



MODULAR BEND

Because quality is *Important*



DF - T11 - INCLINE



ENDCAP




FIX BEND



WALL CONCEAL





90 DEGREE JOINTER



180 DEGREE JOINTER


Quality is the best strategy for *Success*.



DF - T12 - LED INCLINE




ENDCAP



90 DEGREE JOINTER




WALL CONCEAL



180 DEGREE JOINTER

The quantity has a *Quality* all its own.



DF - T13 - D - SHAPE LED




ENDCAP



90 DEGREE JOINTER





WALL CONCEAL



180 DEGREE JOINTER


Quality means doing it right when nobody is looking.



DF - T14 - TWO SIDE LED




ENDCAP



90 DEGREE JOINTER



WALL CONCEAL




180 DEGREE JOINTER

Profits are the outcome, the *Result* of incredible administration.




DF - T15 - SLIM HANDRAIL




Measure what is quantifiable and *Make* quantifiable what isn't.



DF - T16 - 80X30 RECTANGLE



WALL CONCEAL




ENDCAP


Even However *Quality* Can't Be Characterized, you Realize what Quality is.



DF - T17 - 70X30 RECTANGLE



WALL CONCEAL



ENDCAP

Railing Accessories



DF-BL-ACC-01 A
(SSS/PSS)

DF-BL-ACC-01 B
(SSS/PSS)

DF-BL-ACC-01 C
(SSS/PSS)

DF-BL-ACC-02 A
(SSS/PSS)

DF-BL-ACC-02 B
(SSS/PSS)

DF-BL-ACC-02 C
(SSS/PSS)

DF-BL-ACC-03 A
(SSS/PSS)

DF-BL-ACC-03 B
(SSS/PSS)



DF-BL-ACC-04
(SSS/PSS)



DF-BL-ACC-05
(SSS/PSS)



DF-BL-ACC-06
(SSS/PSS)



DF-BL-ACC-07
(SSS/PSS)



DF-BL-ACC-0
(SSS/PSS)



DF-BL-ACC-10
(SSS/PSS)



DF-BL-ACC-10 A
(SSS/PSS)



DF-BL-ACC-11
(SSS/PSS)



DF-BL-ACC-12
(SSS/PSS)



DF-BL-ACC-13
(SSS/PSS)



DF-BL-ACC-15 A
19mm (SSS/PSS)



DF-BL-ACC-15 B
38mm (SSS/PSS)



DF-BL-ACC-15 C
50mm (SSS/PSS)



DF-BL-ACC-16 A
19mm (SSS/PSS)



DF-BL-ACC-16 B
38mm (SSS/PSS)



DF-BL-ACC-16 C
50mm (SSS/PSS)



DF-BL-ACC-17
(SSS/PSS)



DF-BL-ACC-18
(SSS/PSS)



DF-BL-ACC-19
(SSS/PSS)

